

## Other Accessories

# Moving Table

**Elevate your factory space with modern design and high aesthetics**



### FUNCTIONS

- Flexible dimension design optimized for the actual space of the factory.
- 30mm thick MDF table top covered with ultra-durable Laminate ensuring a flat and smooth surface.
- C-shaped box steel frame with sturdy structure and high load-bearing capacity.
- Leg system integrated with height adjustment helps balance easily on any floor surface.
- Full electrostatic powder coating technology prevents rust and enhances aesthetic durability.

### SPECIFICATIONS

<b>Length</b>	12m - 18m (Based on customer request)
<b>Width</b>	2200 mm (Based on customer request)
<b>Height</b>	800 - 900 mm (Based on customer request)
<b>Table top thickness</b>	25-30 mm

## Other Accessories

# Fabric Lifting Table

**Safe lifting solution helping to save manpower and optimize operational efficiency for the spreading machine.**



### FUNCTIONS



- The BMO Fabric Lifter is an automatic loading solution with a 300kg capacity.
- Equipped with a powerful 750W motor and an ultra-durable steel frame, it delivers robust performance.
- Featuring a smart rotation mechanism and auto-stop function, this device ensures fast and safe feeding for spreading machines while minimizing manual labor.

### SPECIFICATIONS



<b>Length</b>	2165 mm (Based on customer request)
<b>Width</b>	1050 mm
<b>Height</b>	1960 mm
<b>Load capacity</b>	300 kg

## Other Accessories

# Fabric Flotation Table

**Ensures stable and continuous airflow across the entire table surface**



Fabric Flotation Table

## FUNCTIONS

- Creates an air cushion to eliminate friction, allowing for the gentle and flexible movement of heavy fabric stacks.
- Equipped with a powerful 2.2kW air blower motor, providing high volume and stable airflow for the entire table surface.
- Smart modular design allows for easy assembly and length expansion according to the actual needs of the factory.
- Protects the structure of the bottom fabric layer, preventing shifting or deformation when transporting the spread to the cutting machine.

## SPECIFICATIONS

<b>Width</b>	1830mm / 2130mm / 2330mm
<b>Length</b>	Modular Design: 1200mm / section (Expandable length as needed)
<b>Height</b>	Flexible adjustment: 830mm ~ 870mm
<b>Tabletop Thickness</b>	25-30 mm
<b>Weight</b>	34 KG
<b>Power Supply</b>	380V, 3-Phase



## Features

01. Automatic lifting for heavy weight fabric roll . to the machine.
02. Easy control with hand controller.
03. Max. 250kg loading lift weight.

## 제품기능

01. 중량 룰원단을 연단기에 자동으로 거치.
02. 전용 핸드컨트롤러를 이용한 쉬운 작동.
03. 최대 250kg 리프팅 가능.

## Specifications

Dimension(mm)*	2,400 X 1,750 X 600
Max. fabric roll diameter(mm)	1,000mm (사양변경가능)
Max. fabric roll weight (kg)	250kg
Lifting speed	18 seconds
Power	220V 3 Phase, 50/60Hz

\* Machine dimension base on 1,835mm table size

